

Tabla I Distribución Binomial

n	p	.01	.05	.10	.15	.20	.25	.30	1/3	.35	.40	.45	.49	.50
2	0	.9801	.9025	.8100	.7225	.6400	.5625	.4900	.4444	.4225	.3600	.3025	.2601	.2500
	1	.0198	.0950	.1800	.2550	.3200	.3750	.4200	.4444	.4550	.4800	.4950	.4998	.5000
	2	.0001	.0025	.0100	.0225	.0400	.0625	.0900	.1111	.1225	.1600	.2025	.2401	.2500
3	0	.9703	.8574	.7290	.6141	.5120	.4219	.3430	.2963	.2746	.2160	.1664	.1327	.1250
	1	.0294	.1354	.2430	.3251	.3840	.4219	.4410	.4444	.4436	.4320	.4084	.3823	.3750
	2	.0003	.0071	.0270	.0574	.0960	.1406	.1890	.2222	.2389	.2880	.3341	.3674	.3750
	3	.0000	.0001	.0010	.0034	.0080	.0156	.0270	.0370	.0429	.0640	.0911	.1176	.1250
4	0	.9606	.8145	.6561	.5220	.4096	.3164	.2401	.1975	.1785	.1296	.0915	.0677	.0625
	1	.0388	.1715	.2916	.3685	.4096	.4219	.4116	.3951	.3845	.3456	.2995	.2600	.2500
	2	.0006	.0135	.0486	.0975	.1636	.2109	.2646	.2963	.3105	.3456	.3675	.3747	.3750
	3	.0000	.0005	.0036	.0115	.0256	.4609	.0756	.0988	.1115	.1536	.2005	.2400	.2500
	4	.0000	.0000	.0001	.0005	.0016	.0039	.0081	.0123	.0150	.0256	.0410	.0576	.0625
5	0	.9510	.7738	.5905	.4437	.3277	.2373	.1681	.1317	.1160	.0778	.0503	.0345	.0312
	1	.0480	.2036	.3280	.3915	.4096	.3855	.3602	.3292	.3124	.2592	.2059	.1657	.1562
	2	.0010	.0214	.0729	.1382	.2048	.2637	.3087	.3292	.3364	.3456	.3369	.3185	.3125
	3	.0000	.0011	.0081	.0244	.0512	.0879	.1323	.1646	.1811	.2304	.2757	.3060	.3125
	4	.0000	.0000	.0004	.0022	.0064	.0146	.0284	.0412	.0488	.0768	.1128	.1470	.1562
	5	.0000	.0000	.0000	.0001	.0003	.0010	.0024	.0041	.0053	.0102	.0185	.0283	.0312
6	0	.9415	.7351	.5314	.3771	.2621	.1780	.1176	.0878	.0754	.0467	.0277	.0176	.0156
	1	.0571	.2321	.3543	.3993	.3932	.3560	.3025	.2634	.2437	.1866	.1359	.1014	.0938
	2	.0014	.0305	.0984	.1762	.2458	.2966	.3241	.3292	.3280	.3110	.2780	.2437	.2344
	3	.0000	.0021	.0146	.0415	.0819	.1318	.1852	.2195	.2355	.2765	.3032	.3121	.3125
	4	.0000	.0001	.0012	.0055	.0154	.0330	.0595	.0823	.0951	.1382	.1861	.2249	.2344
	5	.0000	.0000	.0001	.0004	.0015	.0044	.0102	.0165	.0205	.0369	.0609	.0864	.0938
	6	.0000	.0000	.0000	.0000	.0001	.0002	.0007	.0014	.0018	.0041	.0083	.0139	.0156
7	0	.9321	.6983	.4783	.3206	.2097	.1335	.0824	.0585	.0490	.0280	.0152	.0090	.0078
	1	.0659	.2573	.3720	.3960	.3670	.3115	.2471	.2048	.1848	.1306	.0872	.0603	.0574
	2	.0020	.0406	.1240	.2097	.2753	.3115	.3177	.3073	.2985	.2613	.2140	.1740	.1641
	3	.0000	.0036	.0230	.0617	.1147	.1730	.2269	.2561	.2679	.2903	.2918	.2786	.2734
	4	.0000	.0002	.0026	.0109	.0287	.0577	.0972	.1280	.1442	.1935	.2388	.2676	.2734
	5	.0000	.0000	.0002	.0012	.0043	.0115	.0250	.0384	.0466	.0774	.1172	.1543	.1641
	6	.0000	.0000	.0000	.0001	.0004	.0013	.0036	.0064	.0084	.0172	.0320	.0494	.0547
	7	.0000	.0000	.0000	.0000	.0000	.0001	.0002	.0005	.0006	.0016	.0037	.0068	.0078
8	0	.9227	.6634	.4305	.2725	.1678	.1001	.0576	.0390	.0319	.0168	.0084	.0046	.0039
	1	.0746	.2793	.3826	.3847	.3355	.2670	.1977	.1561	.1373	.0896	.0548	.0352	.0312
	2	.0026	.0515	.1488	.2376	.2936	.3115	.2965	.2731	.2587	.2090	.1569	.1183	.1094
	3	.0001	.0054	.0331	.0839	.1468	.2076	.2541	.2731	.2786	.2787	.2568	.2273	.2188
	4	.0000	.0004	.0046	.0185	.0459	.0865	.1361	.1707	.1875	.2322	.2627	.2730	.2734
	5	.0000	.0000	.0004	.0026	.0092	.0231	.0467	.0683	.0808	.1239	.1719	.2098	.2188
	6	.0000	.0000	.0000	.0002	.0011	.0038	.0100	.0171	.0217	.0413	.0703	.1008	.1094
	7	.0000	.0000	.0000	.0000	.0001	.0004	.0012	.0024	.0033	.0079	.0164	.0277	.0312
	8	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0002	.0002	.0007	.0017	.0033	.0039

Tabla I Distribución Binomial (Continuación)

n	p	.01	.05	.10	.15	.20	.25	.30	1/3	.35	.40	.45	.49	.50
9	0	.9135	.6302	.3874	.2316	.1342	.0751	.0404	.0260	.0207	.0101	.0046	.0023	.0020
	1	.0830	.2985	.3874	.3679	.3020	.2253	.1556	.1171	.1004	.0605	.0339	.0202	.0176
	2	.0034	.0629	.1722	.2597	.3020	.3003	.2688	.2341	.2162	.1612	.1110	.0776	.0703
	3	.0001	.0077	.0446	.1069	.1762	.2336	.2668	.2731	.2716	.2508	.2119	.1739	.1641
	4	.0000	.0006	.0074	.0283	.0661	.1168	.1715	.2048	.2194	.2508	.2600	.2506	.2461
	5	.0000	.0000	.0008	.0050	.0165	.0389	.0735	.1024	.1181	.1672	.2128	.2408	.2461
	6	.0000	.0000	.0001	.0006	.0028	.0087	.0210	.0341	.0424	.0743	.1160	.1542	.1641
	7	.0000	.0000	.0000	.0000	.0003	.0012	.0039	.0073	.0098	.0212	.0407	.0635	.0703
	8	.0000	.0000	.0000	.0000	.0000	.0001	.0004	.0009	.0013	.0035	.0083	.0153	.0176
	9	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0003	.0008	.0016	.0020
10	0	.9044	.5987	.3487	.1969	.1074	.0563	.0282	.0173	.0135	.0060	.0025	.0012	.0010
	1	.0914	.3151	.3874	.3474	.2684	.1877	.1211	.0867	.0725	.0403	.0207	.0114	.0098
	2	.0042	.0746	.1937	.2759	.3020	.2816	.2335	.1951	.1757	.1209	.0763	.0495	.0439
	3	.0001	.0105	.0574	.1298	.2013	.2503	.2668	.2601	.2522	.2150	.1665	.1267	.1172
	4	.0000	.0010	.0112	.0401	.0881	.1460	.2001	.2276	.2377	.2508	.2384	.2130	.2051
	5	.0000	.0001	.0015	.0085	.0264	.0584	.1029	.1366	.1536	.2007	.2340	.2456	.2461
	6	.0000	.0000	.0001	.0012	.0055	.0162	.0368	.0596	.0689	.1115	.1596	.1966	.2051
	7	.0000	.0000	.0000	.0001	.0008	.0031	.0090	.0163	.0212	.0425	.0746	.1080	.1172
	8	.0000	.0000	.0000	.0000	.0001	.0004	.0014	.0030	.0043	.0106	.0229	.0389	.0439
	9	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0003	.0005	.0016	.0042	.0083	.0098
	10	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0003	.0008	.0010

Tabla II Distribución de Poisson

r	0	1	2	3	4	5	6	7	8	9	10	11	12
.1	.9048	.0905	.0045	.0002	.0000								
.2	.8187	.1637	.0164	.0011	.0001	.0000							
.3	.7408	.2222	.0333	.0033	.0002	.0000							
.4	.6703	.2681	.0536	.0072	.0007	.0001	.0000						
.5	.6065	.3033	.0758	.0126	.0016	.0002	.0000						
.6	.5488	.3293	.0988	.0198	.0030	.0004	.0000						
.7	.4966	.3476	.1217	.0284	.0050	.0007	.0001	.0000					
.8	.4493	.3595	.1438	.0383	.0077	.0012	.0002	.0000					
.9	.4066	.3659	.1647	.0494	.0111	.0020	.0003	.0000					
1.0	.3679	.3679	.1839	.0613	.0153	.0031	.0005	.0001	.0000				
1.1	.3329	.3662	.2014	.0738	.0203	.0045	.0008	.0001	.0000				
1.2	.3012	.3614	.2169	.0867	.0260	.0062	.0012	.0002	.0000				
1.3	.2725	.3543	.2303	.0998	.0324	.0084	.0018	.0003	.0001	.0000			
1.4	.2466	.3452	.2417	.1128	.0395	.0111	.0026	.0005	.0001	.0000			
1.5	.2231	.3347	.2510	.1255	.0471	.0141	.0035	.0008	.0001	.0000			
1.6	.2019	.3230	.2584	.1378	.0551	.0176	.0047	.0011	.0002	.0000			
1.7	.1827	.3106	.2640	.1496	.0636	.0216	.0061	.0015	.0003	.0001	.0000		
1.8	.1653	.2975	.2678	.1607	.0723	.0260	.0078	.0020	.0005	.0001	.0000		
1.9	.1496	.2842	.2700	.1710	.0812	.0309	.0098	.0027	.0006	.0001	.0000		
2.0	.1353	.2707	.2707	.1804	.0902	.0361	.0120	.0034	.0009	.0002	.0000		
2.2	.1108	.2438	.2681	.1966	.1082	.0476	.0174	.0055	.0015	.0004	.0001	.0000	
2.4	.0907	.2177	.2613	.2090	.1254	.0602	.0241	.0083	.0025	.0007	.0002	.0000	
2.6	.0743	.1931	.2510	.2176	.1414	.0735	.0319	.0118	.0038	.0011	.0003	.0001	.0000
2.8	.0608	.1703	.2384	.2225	.1557	.0872	.0407	.0163	.0057	.0018	.0005	.0001	.0000
3.0	.0498	.1494	.2240	.2240	.1680	.1008	.0504	.0216	.0081	.0027	.0008	.0002	.0001
3.2	.0408	.1304	.2087	.2226	.1781	.1140	.0608	.0278	.0111	.0040	.0013	.0004	.0001
3.4	.0334	.1135	.1929	.2186	.1858	.1264	.0716	.0348	.0148	.0056	.0019	.0006	.0002
3.6	.0273	.0984	.1771	.2125	.1912	.1377	.0826	.0425	.0191	.0076	.0028	.0009	.0003
3.8	.0224	.0850	.1615	.2046	.1944	.1477	.0936	.0508	.0241	.0102	.0039	.0013	.0004
4.0	.0183	.0733	.1465	.1954	.1954	.1563	.1042	.0595	.0298	.0132	.0053	.0019	.0006
5.0	.0067	.0337	.0842	.1404	.1755	.1755	.1462	.1044	.0653	.0363	.0181	.0082	.0034
6.0	.0025	.0149	.0446	.0892	.1339	.1606	.1606	.1377	.1033	.0688	.0413	.0225	.0113
7.0	.0009	.0064	.0223	.0521	.0912	.1277	.1490	.1490	.1304	.1014	.0710	.0452	.0264
8.0	.0003	.0027	.0107	.0286	.0573	.0916	.1221	.1396	.1396	.1241	.0993	.0722	.0481
9.0	.0001	.0011	.0050	.0150	.0337	.0607	.0911	.1171	.1318	.1318	.1186	.0970	.0728
10.0	.0000	.0005	.0023	.0076	.0189	.0378	.0631	.0901	.1126	.1251	.1251	.1137	.0948
r	13	14	15	16	17	18	19	20	21	22	23	24	
λ													
5.0	.0013	.0005	.0002										
6.0	.0052	.0022	.0009	.0003	.0001								
7.0	.0142	.0071	.0033	.0014	.0006	.0002	.0001						
8.0	.0296	.0169	.0090	.0045	.0021	.0009	.0004	.0002	.0001				
9.0	.0504	.0324	.0194	.0109	.0058	.0029	.0014	.0006	.0003	.0001			
10.0	.0729	.0521	.0347	.0217	.0128	.0071	.0037	.0019	.0009	.0004	.0002	.0001	

Tabla III. Valores críticos de la distribución Normal estándar

$$P[Z > Z_\alpha] = \int_{Z_\alpha}^{\infty} \frac{1}{\sqrt{2\pi}} \exp^{-z^2/2} dz = \alpha$$

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641
0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2910	0.2776
0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
1.0	0.1597	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0995
1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0394	0.0375	0.0367
1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
2.4	0.0082	0.00798	0.00776	0.00755	0.00734	0.00714	0.00695	0.00676	0.00657	0.00639
2.5	0.00621	0.00604	0.00587	0.00570	0.00554	0.00539	0.00523	0.00508	0.00494	0.00480
2.6	0.00466	0.00453	0.00440	0.00427	0.00415	0.00402	0.00391	0.00379	0.00368	0.00357
2.7	0.00347	0.00336	0.00326	0.00317	0.00307	0.00298	0.00289	0.00280	0.00272	0.00264
2.8	0.00256	0.00248	0.00240	0.00233	0.00226	0.00219	0.00212	0.00205	0.00199	0.00193
2.9	0.00187	0.00181	0.00175	0.00169	0.00164	0.00159	0.00154	0.00149	0.00144	0.00139
3.0	0.00135	0.00131	0.00126	0.00122	0.00118	0.00114	0.00111	0.00107	0.00103	0.00100
3.1	0.00097	0.00094	0.00091	0.00087	0.00084	0.00082	0.00079	0.00076	0.00074	0.00071
3.2	0.00069	0.00066	0.00064	0.00062	0.0006	0.00058	0.00056	0.00054	0.00052	0.00050
3.3	0.00048	0.00047	0.00045	0.00043	0.00042	0.00041	0.00032	0.00038	0.00036	0.00035
3.4	0.00034	0.00032	0.00031	0.0003	0.00029	0.00028	0.00027	0.00026	0.00025	0.00024
3.5	0.00023	0.00022	0.00022	0.00021	0.00020	0.00019	0.00019	0.00018	0.00017	0.00017
3.6	0.00016	0.00015	0.00015	0.00014	0.00014	0.00013	0.00013	0.00012	0.00012	0.00011
3.7	0.00011	0.00010	0.00010	0.00010	0.00009	0.00009	0.00009	0.00008	0.00008	0.00008
3.8	0.00007	0.00007	0.00007	0.00006	0.00006	0.00006	0.00006	0.00005	0.00005	0.00005
3.9	0.00005	0.00005	0.00004	0.00004	0.00004	0.00004	0.00004	0.00004	0.00003	0.00003

Tabla IV. Valores críticos de la distribución t de Student:
 Abcisas $t_{\alpha;\nu}$ que dejan a su derecha un área α en una t con ν grados de libertad.

ν	0.4	0.25	0.1	0.05	0.025	0.01	0.005	0.0025	0.001	0.0005
1	0.325	1.000	3.078	6.314	12.706	31.821	63.657	127.32	318.31	636.62
2	0.289	0.816	1.886	2.920	4.303	6.965	9.925	14.089	22.326	31.598
3	0.277	0.765	1.638	2.353	3.182	4.541	5.841	7.453	10.213	12.924
4	0.271	0.741	1.533	2.132	2.776	3.747	4.604	5.598	7.173	8.610
5	0.267	0.727	1.476	2.015	2.571	3.365	4.032	4.773	5.893	6.869
6	0.265	0.718	1.440	1.943	2.447	3.143	3.707	4.317	5.208	5.959
7	0.263	0.711	1.415	1.895	2.365	2.998	3.499	4.029	4.785	5.408
8	0.262	0.706	1.397	1.860	2.306	2.896	3.355	3.833	4.501	5.041
9	0.261	0.703	1.383	1.833	2.262	2.821	3.250	3.690	4.297	4.781
10	0.260	0.700	1.372	1.812	2.228	2.764	3.169	3.581	4.144	4.587
11	0.260	0.697	1.363	1.796	2.201	2.718	3.106	3.497	4.025	4.437
12	0.259	0.695	1.356	1.782	2.179	2.681	3.055	3.428	3.930	4.318
13	0.259	0.694	1.350	1.771	2.160	2.650	3.012	3.372	3.852	4.221
14	0.258	0.692	1.345	1.761	2.145	2.624	2.977	3.326	3.787	4.140
15	0.258	0.691	1.341	1.753	2.131	2.602	2.947	3.286	3.733	4.073
16	0.258	0.690	1.337	1.746	2.120	2.583	2.921	3.252	3.686	4.015
17	0.257	0.689	1.333	1.740	2.110	2.567	2.898	3.222	3.646	3.965
18	0.257	0.688	1.330	1.734	2.101	2.552	2.878	3.197	3.610	3.922
19	0.257	0.688	1.328	1.729	2.093	2.539	2.861	3.174	3.579	3.883
20	0.257	0.687	1.325	1.725	2.086	2.528	2.845	3.153	3.552	3.850
21	0.257	0.686	1.323	1.721	2.080	2.518	2.831	3.135	3.527	3.819
22	0.256	0.686	1.321	1.717	2.074	2.508	2.819	3.119	3.505	3.792
23	0.256	0.685	1.319	1.714	2.069	2.500	2.807	3.104	3.485	3.767
24	0.256	0.685	1.318	1.711	2.064	2.492	2.797	3.091	3.467	3.745
25	0.256	0.684	1.316	1.708	2.060	2.485	2.787	3.078	3.450	3.725
26	0.256	0.684	1.315	1.706	2.056	2.479	2.779	3.067	3.435	3.707
27	0.256	0.684	1.314	1.703	2.052	2.473	2.771	3.057	3.421	3.690
28	0.256	0.683	1.313	1.701	2.048	2.467	2.763	3.047	3.408	3.674
29	0.256	0.683	1.311	1.699	2.045	2.462	2.756	3.038	3.396	3.659
30	0.256	0.683	1.310	1.697	2.042	2.457	2.750	3.030	3.385	3.646
40	0.255	0.681	1.303	1.684	2.021	2.423	2.704	2.971	3.307	3.551
60	0.254	0.679	1.296	1.671	2.000	2.390	2.660	2.915	3.232	3.460
120	0.254	0.677	1.289	1.658	1.980	2.358	2.617	2.860	3.160	3.373
∞	0.253	0.674	1.282	1.645	1.960	2.326	2.576	2.807	3.090	3.291

Tabla V. Valores críticos de la distribución χ^2 de Pearson:
 Abcisas $\chi^2_{\alpha;\nu}$ que dejan a su derecha un área α bajo la χ^2 con ν grados de libertad.

ν	0.995	0.99	0.975	0.95	0.9	0.75	0.5	0.25	0.1	0.05	0.025	0.01	0.005	0.001
1	-	-	-	-	0.016	0.102	0.455	1.32	2.71	3.84	5.02	6.63	7.88	10.8
2	0.010	0.020	0.051	0.103	0.211	0.575	1.39	2.77	4.61	5.99	7.38	9.21	10.6	13.8
3	0.072	0.115	0.216	0.352	0.584	1.21	2.37	4.11	6.25	7.81	9.35	11.3	12.8	16.3
4	0.207	0.297	0.484	0.711	1.06	1.92	3.36	5.39	7.78	9.49	11.1	13.3	14.9	18.5
5	0.412	0.554	0.831	1.15	1.61	2.67	4.35	6.63	9.24	11.1	12.8	15.1	16.7	20.5
6	0.676	0.872	1.24	1.64	2.20	3.45	5.35	7.84	10.6	12.6	14.4	16.8	18.5	22.5
7	0.989	1.24	1.69	2.17	2.83	4.25	6.35	9.04	12.0	14.1	16.0	18.5	20.3	24.3
8	1.34	1.65	2.18	2.73	3.49	5.07	7.34	10.2	13.4	15.5	17.5	20.1	22.0	26.1
9	1.73	2.09	2.70	3.33	4.17	5.90	8.34	11.4	14.7	16.9	19.0	21.7	23.6	27.7
10	2.16	2.56	3.25	3.94	4.87	6.74	9.34	12.5	16.0	18.3	20.5	23.2	25.2	29.6
11	2.60	3.05	3.82	4.57	5.58	7.58	10.3	13.7	17.3	19.7	21.9	24.7	26.8	31.3
12	3.07	3.57	4.40	5.23	6.30	8.44	11.3	14.8	18.5	21.0	23.3	26.2	28.3	32.9
13	3.57	4.11	5.01	5.89	7.04	9.30	12.3	16.0	19.8	22.4	24.7	27.7	29.8	34.5
14	4.07	4.66	5.63	6.57	7.79	10.2	13.3	17.1	21.1	23.7	26.1	29.1	31.3	36.1
15	4.60	5.23	6.26	7.26	8.55	11.0	14.3	18.2	22.3	25.0	27.5	30.6	32.8	37.7
16	5.14	5.81	6.91	7.96	9.31	11.9	15.3	19.4	23.5	26.3	28.8	32.0	34.3	39.3
17	5.70	6.41	7.56	8.67	10.1	12.8	16.3	20.5	24.8	27.6	30.2	33.4	35.7	40.8
18	6.26	7.01	8.23	9.39	10.9	13.7	17.3	21.6	26.0	28.9	31.5	34.8	37.2	42.3
19	6.84	7.63	8.91	10.1	11.7	14.6	18.3	22.7	27.2	30.1	32.9	36.2	38.6	43.8
20	7.43	8.26	9.59	10.9	12.4	15.5	19.3	23.8	28.4	31.4	34.2	37.6	40.0	45.3
21	8.03	8.90	10.3	11.6	13.2	16.3	20.3	24.9	29.6	32.7	35.5	38.9	41.4	46.8
22	8.64	9.54	11.0	12.3	14.0	17.2	21.3	26.0	30.8	33.9	36.8	40.3	42.8	48.3
23	9.26	10.2	11.7	13.1	14.8	18.1	22.3	27.1	32.0	35.2	38.1	41.6	44.2	49.7
24	9.89	10.9	12.4	13.8	15.7	19.0	23.3	28.2	33.2	36.4	39.4	43.0	45.6	51.2
25	10.5	11.5	13.1	14.6	16.5	19.9	24.3	29.3	34.4	37.7	40.6	44.3	46.9	52.6
26	11.2	12.2	13.8	15.4	17.3	20.8	25.3	30.4	35.6	38.9	41.9	45.6	48.3	54.1
27	11.8	12.9	14.6	16.2	18.1	21.7	26.3	31.5	36.7	40.1	43.2	47.0	49.6	55.5
28	12.5	13.6	15.3	16.9	18.9	22.7	27.3	32.6	37.9	41.3	44.5	48.3	51.0	56.9
29	13.1	14.3	16.0	17.7	19.8	23.6	28.3	33.7	39.1	42.6	45.7	49.6	52.3	58.3
30	13.8	15.0	16.8	18.5	20.6	24.5	29.3	34.8	40.3	43.8	47.0	50.9	53.7	59.7

Tabla VI. Valores críticos de la distribución F de Snedecor:

Abcisas F_{α, ν_1, ν_2} que dejan a su derecha un área α bajo la F con ν_1 y ν_2 grados de libertad.

$\alpha = 0,25$

ν_2	ν_1																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	5.83	7.50	8.20	8.58	8.82	8.98	9.10	9.19	9.26	9.32	9.41	9.49	9.58	9.63	9.67	9.71	9.76	9.80	9.85
2	2.57	3.00	3.15	3.23	3.28	3.31	3.34	3.35	3.37	3.38	3.39	3.41	3.43	3.43	3.44	3.45	3.46	3.47	3.48
3	2.02	2.28	2.36	2.39	2.41	2.42	2.43	2.44	2.44	2.44	2.45	2.46	2.46	2.46	2.47	2.47	2.47	2.47	2.47
4	1.81	2.00	2.05	2.06	2.07	2.08	2.08	2.09	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08
5	1.69	1.85	1.88	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.88	1.88	1.88	1.88	1.87	1.87	1.87
6	1.62	1.76	1.78	1.79	1.79	1.78	1.78	1.78	1.77	1.77	1.77	1.76	1.76	1.75	1.75	1.75	1.74	1.74	1.74
7	1.57	1.70	1.72	1.72	1.71	1.71	1.70	1.70	1.69	1.69	1.68	1.68	1.67	1.67	1.66	1.66	1.65	1.65	1.65
8	1.54	1.66	1.67	1.66	1.66	1.65	1.64	1.64	1.63	1.63	1.62	1.62	1.61	1.60	1.60	1.59	1.58	1.58	1.58
9	1.51	1.62	1.63	1.63	1.62	1.61	1.60	1.60	1.59	1.59	1.58	1.57	1.56	1.56	1.55	1.54	1.54	1.53	1.53
10	1.49	1.60	1.60	1.59	1.59	1.58	1.57	1.56	1.56	1.55	1.54	1.53	1.52	1.52	1.51	1.51	1.50	1.49	1.48
11	1.47	1.58	1.58	1.57	1.56	1.55	1.54	1.53	1.53	1.52	1.51	1.50	1.49	1.49	1.48	1.47	1.46	1.45	1.45
12	1.46	1.56	1.56	1.55	1.54	1.53	1.52	1.51	1.51	1.50	1.49	1.48	1.47	1.46	1.45	1.45	1.44	1.43	1.42
13	1.45	1.55	1.55	1.53	1.52	1.51	1.50	1.49	1.49	1.48	1.47	1.46	1.45	1.44	1.43	1.42	1.42	1.41	1.40
14	1.44	1.53	1.53	1.52	1.51	1.50	1.49	1.48	1.47	1.46	1.45	1.44	1.43	1.42	1.41	1.41	1.40	1.39	1.38
15	1.43	1.52	1.52	1.51	1.49	1.48	1.47	1.46	1.46	1.45	1.44	1.43	1.41	1.41	1.40	1.39	1.38	1.37	1.36
16	1.42	1.51	1.51	1.50	1.48	1.47	1.46	1.45	1.44	1.44	1.43	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34
17	1.42	1.51	1.50	1.49	1.47	1.46	1.45	1.44	1.43	1.43	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33
18	1.41	1.50	1.49	1.48	1.46	1.45	1.44	1.43	1.42	1.42	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	1.32
19	1.41	1.49	1.49	1.47	1.46	1.44	1.43	1.42	1.41	1.41	1.40	1.38	1.37	1.36	1.35	1.34	1.33	1.32	1.30
20	1.40	1.49	1.48	1.47	1.45	1.44	1.43	1.42	1.41	1.40	1.39	1.37	1.36	1.35	1.34	1.33	1.32	1.31	1.29
21	1.40	1.48	1.48	1.46	1.44	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.35	1.34	1.33	1.32	1.31	1.30	1.28
22	1.40	1.48	1.47	1.45	1.44	1.42	1.41	1.40	1.39	1.39	1.37	1.36	1.34	1.33	1.32	1.31	1.30	1.29	1.28
23	1.39	1.47	1.47	1.45	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.35	1.34	1.33	1.32	1.31	1.30	1.28	1.27
24	1.39	1.47	1.46	1.44	1.43	1.41	1.40	1.39	1.38	1.38	1.36	1.35	1.33	1.32	1.31	1.30	1.29	1.28	1.26
25	1.39	1.47	1.46	1.44	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.34	1.33	1.32	1.31	1.29	1.28	1.27	1.25
26	1.38	1.46	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.37	1.35	1.34	1.32	1.31	1.30	1.29	1.28	1.26	1.25
27	1.38	1.46	1.45	1.43	1.42	1.40	1.39	1.38	1.37	1.36	1.35	1.33	1.32	1.31	1.30	1.28	1.27	1.26	1.24
28	1.38	1.46	1.45	1.43	1.41	1.40	1.39	1.38	1.37	1.36	1.34	1.33	1.31	1.30	1.29	1.28	1.27	1.25	1.24
29	1.38	1.45	1.45	1.43	1.41	1.40	1.38	1.37	1.36	1.35	1.34	1.32	1.31	1.30	1.29	1.27	1.26	1.25	1.23
30	1.38	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.36	1.35	1.34	1.32	1.30	1.29	1.28	1.27	1.26	1.24	1.23
40	1.36	1.44	1.42	1.40	1.39	1.37	1.36	1.35	1.34	1.33	1.31	1.30	1.28	1.26	1.25	1.24	1.22	1.21	1.19
60	1.35	1.42	1.41	1.38	1.37	1.35	1.33	1.32	1.31	1.30	1.29	1.27	1.25	1.24	1.22	1.21	1.19	1.17	1.15
120	1.34	1.40	1.39	1.37	1.35	1.33	1.31	1.30	1.29	1.28	1.26	1.24	1.22	1.21	1.19	1.18	1.16	1.13	1.10
∞	1.32	1.39	1.37	1.35	1.33	1.31	1.29	1.28	1.27	1.25	1.24	1.22	1.19	1.18	1.16	1.14	1.12	1.08	1.00

Tabla VI. Valores críticos de la distribución F de Snedecor:

Abcisas $F_{\alpha; \nu_1, \nu_2}$ que dejan a su derecha un área α bajo la F con ν_1 y ν_2 grados de libertad.

$\alpha = 0,10$

ν_2	ν_1																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	39.86	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86	60.19	60.71	61.22	61.74	62.00	62.26	62.53	62.79	63.06	63.33
2	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38	9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.47	9.48	9.49
3	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24	5.23	5.22	5.20	5.18	5.18	5.17	5.16	5.15	5.14	5.13
4	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94	3.92	3.90	3.87	3.84	3.83	3.82	3.80	3.79	3.78	3.76
5	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	3.30	3.27	3.24	3.21	3.19	3.17	3.16	3.14	3.12	3.10
6	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	2.94	2.90	2.87	2.84	2.82	2.80	2.78	2.76	2.74	2.72
7	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	2.70	2.67	2.63	2.59	2.58	2.56	2.54	2.51	2.49	2.47
8	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	2.54	2.50	2.46	2.42	2.40	2.38	2.36	2.34	2.32	2.29
9	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44	2.42	2.38	2.34	2.30	2.28	2.25	2.23	2.21	2.18	2.16
10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32	2.28	2.24	2.20	2.18	2.16	2.13	2.11	2.08	2.06
11	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25	2.21	2.17	2.12	2.10	2.08	2.05	2.03	2.00	1.97
12	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19	2.15	2.10	2.06	2.04	2.01	1.99	1.96	1.93	1.90
13	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	2.14	2.10	2.05	2.01	1.98	1.96	1.93	1.90	1.88	1.85
14	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10	2.05	2.01	1.96	1.94	1.91	1.89	1.86	1.83	1.80
15	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06	2.02	1.97	1.92	1.90	1.87	1.85	1.82	1.79	1.76
16	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	2.03	1.99	1.94	1.89	1.87	1.84	1.81	1.78	1.75	1.72
17	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	2.00	1.96	1.91	1.86	1.84	1.81	1.78	1.75	1.72	1.69
18	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.98	1.93	1.89	1.84	1.81	1.78	1.75	1.72	1.69	1.66
19	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98	1.96	1.91	1.86	1.81	1.79	1.76	1.73	1.70	1.67	1.63
20	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94	1.89	1.84	1.79	1.77	1.74	1.71	1.68	1.64	1.61
21	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95	1.92	1.87	1.83	1.78	1.75	1.72	1.69	1.66	1.62	1.59
22	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	1.90	1.86	1.81	1.76	1.73	1.70	1.67	1.64	1.60	1.57
23	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92	1.89	1.84	1.80	1.74	1.72	1.69	1.66	1.62	1.59	1.55
24	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	1.88	1.83	1.78	1.73	1.70	1.67	1.64	1.61	1.57	1.53
25	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89	1.87	1.82	1.77	1.72	1.69	1.66	1.63	1.59	1.56	1.52
26	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	1.86	1.81	1.76	1.71	1.68	1.65	1.61	1.58	1.54	1.50
27	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	1.85	1.80	1.75	1.70	1.67	1.64	1.60	1.57	1.53	1.49
28	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87	1.84	1.79	1.74	1.69	1.66	1.63	1.59	1.56	1.52	1.48
29	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86	1.83	1.78	1.73	1.68	1.65	1.62	1.58	1.55	1.51	1.47
30	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85	1.82	1.77	1.72	1.67	1.64	1.61	1.57	1.54	1.50	1.46
40	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79	1.76	1.71	1.66	1.61	1.57	1.54	1.51	1.47	1.42	1.38
60	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71	1.66	1.60	1.54	1.51	1.48	1.44	1.40	1.35	1.29
120	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68	1.65	1.60	1.55	1.48	1.45	1.41	1.37	1.32	1.26	1.19
∞	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60	1.55	1.49	1.42	1.38	1.34	1.30	1.24	1.17	1.00

Tabla VI. Valores críticos de la distribución F de Snedecor:

Abcisas $F_{\alpha; \nu_1, \nu_2}$ que dejan a su derecha un área α bajo la F con ν_1 y ν_2 grados de libertad.

$\alpha = 0,05$

ν_2	ν_1																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.8	240.5	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00

Tabla VI. Valores críticos de la distribución F de Snedecor:

Abcisas $F_{\alpha; \nu_1, \nu_2}$ que dejan a su derecha un área α bajo la F con ν_1 y ν_2 grados de libertad.

$\alpha = 0,025$

ν_2	ν_1																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	647.8	799.5	864.2	899.6	921.8	937.1	948.2	956.7	963.3	968.6	976.7	984.9	993.1	997.2	1001	1006	1010	1014	1018
2	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39	39.40	39.41	39.43	39.45	39.46	39.46	39.47	39.48	39.49	39.50
3	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47	14.42	14.34	14.25	14.17	14.12	14.08	14.04	13.99	13.95	13.90
4	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90	8.84	8.75	8.66	8.56	8.51	8.46	8.41	8.36	8.31	8.26
5	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	6.62	6.52	6.43	6.33	6.28	6.23	6.18	6.12	6.07	6.02
6	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	5.46	5.37	5.27	5.17	5.12	5.07	5.01	4.96	4.90	4.85
7	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	4.76	4.67	4.57	4.47	4.42	4.36	4.31	4.25	4.20	4.14
8	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36	4.30	4.20	4.10	4.00	3.95	3.89	3.84	3.78	3.73	3.67
9	7.21	5.71	5.00	4.72	4.48	4.32	4.20	4.10	4.03	3.96	3.87	3.77	3.67	3.61	3.56	3.51	3.45	3.39	3.33
10	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78	3.72	3.62	3.52	3.42	3.37	3.31	3.26	3.20	3.14	3.08
11	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59	3.53	3.43	3.33	3.23	3.17	3.12	3.06	3.00	2.94	2.88
12	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	3.37	3.28	3.18	3.07	3.02	2.96	2.91	2.85	2.79	2.72
13	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31	3.25	3.15	3.05	2.95	2.89	2.84	2.78	2.72	2.66	2.60
14	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21	3.15	3.05	2.95	2.84	2.79	2.73	2.67	2.61	2.55	2.49
15	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	3.06	2.96	2.86	2.76	2.70	2.64	2.59	2.52	2.46	2.40
16	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05	2.99	2.89	2.79	2.68	2.63	2.57	2.51	2.45	2.38	2.32
17	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98	2.92	2.82	2.72	2.62	2.56	2.50	2.44	2.38	2.32	2.25
18	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93	2.87	2.77	2.67	2.56	2.50	2.44	2.38	2.32	2.26	2.19
19	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88	2.82	2.72	2.62	2.51	2.45	2.39	2.33	2.27	2.20	2.13
20	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84	2.77	2.68	2.57	2.46	2.41	2.35	2.29	2.22	2.16	2.09
21	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80	2.73	2.64	2.53	2.42	2.37	2.31	2.25	2.18	2.11	2.04
22	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76	2.70	2.60	2.50	2.39	2.33	2.27	2.21	2.14	2.08	2.00
23	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.73	2.67	2.57	2.47	2.36	2.30	2.24	2.18	2.11	2.04	1.97
24	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70	2.64	2.54	2.44	2.33	2.27	2.21	2.15	2.08	2.01	1.94
25	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68	2.61	2.51	2.41	2.30	2.24	2.18	2.12	2.05	1.98	1.91
26	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65	2.59	2.49	2.39	2.28	2.22	2.16	2.09	2.03	1.95	1.88
27	5.63	4.24	3.63	3.31	3.06	2.92	2.80	2.71	2.63	2.57	2.47	2.36	2.25	2.19	2.13	2.07	2.00	1.93	1.85
28	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.61	2.55	2.45	2.34	2.23	2.17	2.11	2.05	1.98	1.91	1.83
29	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.59	2.53	2.43	2.32	2.21	2.15	2.09	2.03	1.96	1.89	1.81
30	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57	2.51	2.41	2.31	2.20	2.14	2.07	2.01	1.94	1.87	1.79
40	5.42	4.05	3.46	3.13	2.90	2.74	2.62	2.53	2.45	2.39	2.29	2.18	2.07	2.01	1.94	1.88	1.80	1.72	1.64
60	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33	2.27	2.17	2.06	1.94	1.88	1.82	1.74	1.67	1.58	1.48
120	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22	2.16	2.05	1.94	1.82	1.76	1.69	1.61	1.53	1.43	1.31
∞	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11	2.05	1.94	1.83	1.71	1.64	1.57	1.48	1.39	1.27	1.00

Tabla VI. Valores críticos de la distribución F de Snedecor:

Abcisas $F_{\alpha; \nu_1, \nu_2}$ que dejan a su derecha un área α bajo la F con ν_1 y ν_2 grados de libertad.

$\alpha = 0,01$

ν_2	ν_1																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	4052	4999.50	5403	5625	5764	5859	5928	5982	6022	6056	6106	6157	6209	6235	6261	6287	6313	6339	6366
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.49	99.50
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23	27.05	26.87	26.69	26.60	26.50	26.41	26.32	26.22	26.13
4	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.55	14.37	14.20	14.02	13.93	13.84	13.75	13.65	13.56	13.46
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.89	9.72	9.55	9.47	9.38	9.29	9.20	9.11	9.02
6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.56	7.40	7.31	7.23	7.14	7.06	6.97	6.88
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.31	6.16	6.07	5.99	5.91	5.82	5.74	5.65
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.52	5.36	5.28	5.20	5.12	5.03	4.95	4.86
9	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.11	4.96	4.81	4.73	4.65	4.57	4.48	4.40	4.31
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.71	4.56	4.41	4.33	4.25	4.17	4.08	4.00	3.91
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.40	4.25	4.10	4.02	3.94	3.86	3.78	3.69	3.60
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.01	3.86	3.78	3.70	3.62	3.54	3.45	3.36
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	3.96	3.82	3.66	3.59	3.51	3.43	3.34	3.25	3.17
14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3.66	3.51	3.43	3.35	3.27	3.18	3.09	3.00
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.52	3.37	3.29	3.21	3.13	3.05	2.96	2.87
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.41	3.26	3.18	3.10	3.02	2.93	2.84	2.75
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.46	3.31	3.16	3.08	3.00	2.92	2.83	2.75	2.65
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.37	3.23	3.08	3.00	2.92	2.84	2.75	2.66	2.57
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.30	3.15	3.00	2.92	2.84	2.76	2.67	2.58	2.49
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.09	2.94	2.86	2.78	2.69	2.61	2.52	2.42
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31	3.17	3.03	2.88	2.80	2.72	2.64	2.55	2.46	2.36
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.12	2.98	2.83	2.75	2.67	2.58	2.50	2.40	2.31
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21	3.07	2.93	2.78	2.70	2.62	2.54	2.45	2.35	2.26
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.03	2.89	2.74	2.66	2.58	2.49	2.40	2.31	2.21
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	2.99	2.85	2.70	2.62	2.54	2.45	2.36	2.27	2.17
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	2.96	2.81	2.66	2.58	2.50	2.42	2.33	2.23	2.13
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	2.93	2.78	2.63	2.55	2.47	2.38	2.29	2.20	2.10
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.90	2.75	2.60	2.52	2.44	2.35	2.26	2.17	2.06
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00	2.87	2.73	2.57	2.49	2.41	2.33	2.23	2.14	2.03
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.84	2.70	2.55	2.47	2.39	2.30	2.21	2.11	2.01
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.66	2.52	2.37	2.29	2.20	2.11	2.02	1.92	1.80
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.35	2.20	2.12	2.03	1.94	1.84	1.73	1.60
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	2.34	2.19	2.03	1.95	1.86	1.76	1.66	1.53	1.38
∞	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	2.18	2.04	1.88	1.79	1.70	1.59	1.47	1.32	1.00

Tabla VI. Valores críticos de la distribución F de Snedecor:
 Abcisas $F_{\alpha;\nu_1,\nu_2}$ que dejan a su derecha un área α bajo la F con ν_1 y ν_2 grados de libertad.
 $\alpha = 0,005$

ν_2	ν_1																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	16211	20000	21615	22500	23056	23437	23715	23925	24091	24224	24426	24630	24836	24940	25044	25148	25253	25359	25465
2	198.5	199.0	199.2	199.2	199.3	199.3	199.4	199.4	199.4	199.4	199.4	199.4	199.5	199.5	199.5	199.5	199.5	199.5	19.50
3	55.55	49.80	47.46	46.17	45.42	44.85	44.40	44.11	43.84	43.73	43.38	43.13	42.87	42.65	42.47	42.31	42.15	41.99	41.83
4	31.33	26.28	24.25	23.15	22.46	21.98	21.62	21.35	21.14	20.97	20.70	20.43	20.17	20.04	19.89	19.75	19.61	19.47	19.32
5	22.78	18.31	16.53	15.56	14.94	14.51	14.20	13.96	13.77	13.62	13.39	13.15	12.90	12.78	12.66	12.53	12.40	12.27	12.14
6	18.64	14.54	12.92	12.03	11.46	11.07	10.79	10.57	10.39	10.25	10.03	9.81	9.59	9.48	9.36	9.24	9.12	9.00	8.88
7	16.24	12.40	10.88	10.05	9.52	9.16	8.89	8.68	8.51	8.38	8.18	7.97	7.75	7.64	7.53	7.42	7.31	7.19	7.08
8	14.69	11.04	9.60	8.81	8.30	7.95	7.69	7.50	7.34	7.21	7.02	6.82	6.61	6.50	6.40	6.29	6.18	6.06	5.95
9	13.61	10.11	8.72	7.96	7.47	7.13	6.89	6.69	6.54	6.42	6.23	6.03	5.83	5.73	5.62	5.52	5.41	5.30	5.19
10	12.83	9.43	8.08	7.34	6.87	6.54	6.30	6.12	5.97	5.85	5.66	5.47	5.27	5.17	5.07	4.97	4.86	4.75	4.64
11	12.23	8.91	7.60	6.88	6.42	6.10	5.86	5.68	5.54	5.42	5.24	5.05	4.86	4.76	4.65	4.55	4.45	4.34	4.23
12	11.75	8.51	7.23	6.52	6.07	5.76	5.52	5.34	5.20	5.09	4.91	4.72	4.53	4.43	4.33	4.23	4.12	4.02	3.90
13	11.37	8.19	6.93	6.23	5.79	5.48	5.25	5.08	4.94	4.82	4.64	4.46	4.27	4.17	4.07	3.97	3.87	3.76	3.65
14	11.06	7.92	6.68	6.00	5.56	5.26	5.03	4.86	4.72	4.60	4.43	4.25	4.06	3.96	3.86	3.76	3.66	3.55	3.44
15	10.80	7.70	6.48	5.80	5.37	5.07	4.85	4.67	4.54	4.42	4.25	4.07	3.88	3.79	3.69	3.58	3.48	3.37	3.26
16	10.58	7.51	6.30	5.64	5.21	4.91	4.69	4.52	4.38	4.27	4.10	3.92	3.73	3.64	3.54	3.44	3.33	3.22	3.11
17	10.38	7.35	6.16	5.50	5.07	4.78	4.56	4.39	4.25	4.14	3.97	3.79	3.61	3.51	3.41	3.31	3.21	3.10	2.98
18	10.22	7.21	6.06	5.37	4.96	4.66	4.44	4.28	4.14	4.03	3.86	3.68	3.50	3.40	3.30	3.20	3.10	2.99	2.87
19	10.07	7.09	5.92	5.27	4.85	4.56	4.34	4.18	4.04	3.93	3.76	3.59	3.40	3.31	3.21	3.11	3.00	2.89	2.78
20	9.94	6.99	5.82	5.17	4.76	4.47	4.26	4.09	3.96	3.85	3.68	3.50	3.32	3.22	3.12	3.02	2.92	2.81	2.69
21	9.83	6.89	5.73	5.09	4.68	4.39	4.18	4.01	3.88	3.77	3.60	3.43	3.24	3.15	3.05	2.95	2.84	2.73	2.61
22	9.73	6.81	5.65	5.02	4.61	4.32	4.11	3.94	3.81	3.70	3.53	3.36	3.18	3.08	2.98	2.88	2.77	2.66	2.55
23	9.63	6.73	5.58	4.95	4.54	4.26	4.05	3.88	3.75	3.64	3.47	3.30	3.12	3.02	2.92	2.82	2.71	2.60	2.48
24	9.55	6.66	5.52	4.89	4.49	4.20	3.99	3.83	3.69	3.59	3.42	3.25	3.06	2.97	2.87	2.77	2.66	2.55	2.43
25	9.48	6.60	5.46	4.84	4.43	4.15	3.94	3.78	3.64	3.54	3.37	3.20	3.01	2.92	2.82	2.72	2.61	2.50	2.38
26	9.41	6.54	5.41	4.79	4.38	4.10	3.89	3.73	3.60	3.49	3.33	3.15	2.97	2.87	2.77	2.67	2.56	2.45	2.33
27	9.34	6.49	5.36	4.74	4.34	4.06	3.85	3.69	3.56	3.45	3.28	3.11	2.93	2.83	2.73	2.63	2.52	2.41	2.29
28	9.28	6.44	5.32	4.70	4.30	4.02	3.81	3.65	3.52	3.41	3.25	3.07	2.89	2.79	2.69	2.59	2.48	2.37	2.25
29	9.23	6.40	5.28	4.66	4.26	3.98	3.77	3.61	3.48	3.38	3.21	3.04	2.86	2.76	2.66	2.56	2.45	2.33	2.21
30	9.18	6.35	5.24	4.62	4.23	3.95	3.74	3.58	3.45	3.34	3.18	3.01	2.82	2.73	2.63	2.52	2.42	2.30	2.18
40	8.83	6.07	4.94	4.37	3.99	3.71	3.51	3.35	3.22	3.12	2.95	2.78	2.60	2.50	2.40	2.30	2.18	2.06	1.93
60	8.49	5.79	4.73	4.14	3.76	3.49	3.29	3.13	3.01	2.90	2.74	2.57	2.39	2.29	2.19	2.08	1.96	1.83	1.69
120	8.18	5.54	4.50	3.92	3.55	3.28	3.09	2.93	2.81	2.71	2.54	2.37	2.19	2.09	1.98	1.87	1.75	1.61	1.43
∞	7.88	5.30	4.28	3.72	3.35	3.09	2.90	2.74	2.62	2.52	2.36	2.19	2.00	1.90	1.79	1.67	1.53	1.36	1.00

Tabla VI. Valores críticos de la distribución F de Snedecor:
 Abscisas $F_{\alpha; \nu_1, \nu_2}$ que dejan a su derecha un área α bajo la F con ν_1 y ν_2 grados de libertad.
 $\alpha = 0,001$

ν_2	ν_1																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	4053*	5000*	5404*	5625*	5764*	5859*	5929*	5981*	6023*	6056*	6107*	6158*	6209*	6235*	6261*	6287*	6313*	6340*	6366*
2	998.5	999.0	999.2	999.2	999.3	999.3	999.4	999.4	999.4	999.4	999.4	999.4	999.4	999.5	999.5	999.5	999.5	999.5	999.5
3	167.0	148.5	141.1	137.1	134.6	132.8	131.6	130.6	129.9	129.2	128.3	127.4	126.4	125.9	125.4	125.0	124.5	124.0	123.5
4	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.47	48.05	47.41	46.76	46.10	45.77	45.43	45.09	44.75	44.40	44.05
5	47.18	37.12	33.20	31.09	29.75	28.84	28.16	27.64	27.24	26.92	26.42	25.91	25.39	25.14	24.87	24.60	24.33	24.06	23.79
6	35.51	27.00	23.70	21.92	20.81	20.03	19.46	19.03	18.69	18.41	17.99	17.56	17.12	16.89	16.67	16.44	16.21	15.99	15.75
7	29.25	21.69	18.77	17.19	16.21	15.52	15.02	14.63	14.33	14.08	13.71	13.32	12.93	12.73	12.53	12.33	12.12	11.91	11.70
8	25.42	18.49	15.83	14.39	13.49	12.86	12.40	12.04	11.77	11.54	11.19	10.84	10.48	10.30	10.11	9.92	9.73	9.53	9.33
9	22.86	16.39	13.90	12.56	11.71	11.13	10.70	10.37	10.11	9.89	9.57	9.24	8.90	8.72	8.55	8.37	8.19	8.00	7.81
10	21.04	14.91	12.55	11.28	10.48	9.92	9.52	9.20	8.96	8.75	8.45	8.13	7.80	7.64	7.47	7.30	7.12	6.94	6.76
11	19.69	13.81	11.56	10.35	9.58	9.05	8.66	8.35	8.12	7.92	7.63	7.32	7.01	6.85	6.68	6.52	6.35	6.17	6.00
12	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.48	7.29	7.00	6.71	6.40	6.25	6.09	5.93	5.76	5.59	5.42
13	17.81	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.98	6.80	6.52	6.23	5.93	5.78	5.63	5.47	5.30	5.14	4.97
14	17.14	11.78	9.73	8.62	7.92	7.43	7.08	6.80	6.58	6.40	6.13	5.85	5.56	5.41	5.25	5.10	4.94	4.77	4.60
15	16.59	11.34	9.34	8.25	7.57	7.09	6.74	6.47	6.26	6.08	5.81	5.54	5.25	5.10	4.95	4.80	4.64	4.47	4.31
16	16.12	10.97	9.00	7.94	7.27	6.81	6.46	6.19	5.98	5.81	5.55	5.27	4.99	4.85	4.70	4.54	4.39	4.23	4.06
17	15.72	10.66	8.73	7.68	7.02	6.56	6.22	5.96	5.75	5.58	5.32	5.05	4.78	4.63	4.48	4.33	4.18	4.02	3.85
18	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.56	5.39	5.13	4.87	4.59	4.45	4.30	4.15	4.00	3.84	3.67
19	15.08	10.16	8.28	7.26	6.62	6.18	5.85	5.59	5.39	5.22	4.97	4.70	4.43	4.29	4.14	3.99	3.84	3.68	3.51
20	14.82	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24	5.08	4.82	4.56	4.29	4.15	4.00	3.86	3.70	3.54	3.38
21	14.59	9.77	7.94	6.95	6.32	5.88	5.56	5.31	5.11	4.95	4.70	4.44	4.17	4.03	3.88	3.74	3.58	3.42	3.26
22	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.99	4.83	4.58	4.33	4.06	3.92	3.78	3.63	3.48	3.32	3.15
23	14.19	9.47	7.67	6.69	6.08	5.65	5.33	5.09	4.89	4.73	4.48	4.23	3.96	3.82	3.68	3.53	3.38	3.22	3.05
24	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80	4.64	4.39	4.14	3.87	3.74	3.59	3.45	3.29	3.14	2.97
25	13.88	9.22	7.45	6.49	5.88	5.46	5.15	4.91	4.71	4.56	4.31	4.06	3.79	3.66	3.52	3.37	3.22	3.06	2.89
26	13.74	9.12	7.36	6.41	5.80	5.38	5.07	4.83	4.64	4.48	4.24	3.99	3.72	3.59	3.44	3.30	3.15	2.99	2.82
27	13.61	9.02	7.27	6.33	5.73	5.31	5.00	4.76	4.57	4.41	4.17	3.92	3.66	3.52	3.38	3.23	3.08	2.92	2.75
28	13.50	8.93	7.19	6.25	5.66	5.24	4.93	4.69	4.50	4.35	4.11	3.86	3.60	3.46	3.32	3.18	3.02	2.86	2.69
29	13.39	8.85	7.12	6.19	5.59	5.18	4.87	4.64	4.45	4.29	4.05	3.80	3.54	3.41	3.27	3.12	2.97	2.81	2.64
30	13.29	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39	4.24	4.00	3.75	3.49	3.36	3.22	3.07	2.92	2.76	2.59
40	12.61	8.25	6.60	5.70	5.13	4.73	4.44	4.21	4.02	3.87	3.64	3.40	3.15	3.01	2.87	2.73	2.57	2.41	2.23
60	11.97	7.76	6.17	5.31	4.76	4.37	4.09	3.87	3.69	3.54	3.31	3.08	2.83	2.69	2.55	2.41	2.25	2.08	1.89
120	11.38	7.32	5.79	4.95	4.42	4.04	3.77	3.55	3.38	3.24	3.02	2.78	2.53	2.40	2.26	2.11	1.95	1.76	1.54
∞	10.83	6.91	5.42	4.621	4.10	3.74	3.47	3.27	3.10	2.96	2.74	2.51	2.27	2.13	1.99	1.84	1.66	1.45	1.00

* Multiplicar estas celdas por 100

Tabla VII. Percentiles del rango estudentizado

ν	$q_{0.05;T,\nu}$																			
	P																			
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	18.1	26.7	32.8	37.2	40.5	43.1	45.4	47.3	49.1	50.6	51.9	53.2	54.3	55.4	56.3	57.2	58.0	58.8	59.6	
2	6.09	8.28	9.80	10.89	11.73	12.43	13.03	13.54	13.99	14.39	14.75	15.08	15.38	15.65	15.91	16.14	16.36	16.57	16.77	
3	4.50	5.88	6.83	7.51	8.04	8.47	8.85	9.18	9.46	9.72	9.95	10.16	10.35	10.52	10.69	10.84	10.98	11.12	11.24	
4	3.93	5.00	5.76	6.31	6.73	7.06	7.35	7.60	7.83	8.03	8.21	8.37	8.52	8.67	8.80	8.92	9.03	9.14	9.24	
5	3.61	4.54	5.18	5.64	5.99	6.28	6.52	6.74	6.93	7.10	7.25	7.39	7.52	7.64	7.75	7.86	7.95	8.04	8.13	
6	3.46	4.34	4.90	5.31	5.63	5.89	6.12	6.32	6.49	6.65	6.79	6.92	7.04	7.14	7.24	7.34	7.43	7.51	7.59	
7	3.34	4.16	4.68	5.06	5.35	5.59	5.80	5.99	6.15	6.29	6.42	6.54	6.65	6.75	6.84	6.93	7.01	7.08	7.16	
8	3.26	4.04	4.53	4.89	5.17	5.40	5.60	5.77	5.92	6.05	6.18	6.29	6.39	6.48	6.57	6.65	6.73	6.80	6.87	
9	3.20	3.95	4.42	4.76	5.02	5.24	5.43	5.60	5.74	5.87	5.98	6.09	6.19	6.28	6.36	6.44	6.51	6.58	6.65	
10	3.15	3.88	4.33	4.66	4.91	5.12	5.30	5.46	5.60	5.72	5.83	5.93	6.03	6.12	6.20	6.27	6.34	6.41	6.47	
11	3.11	3.82	4.26	4.58	4.82	5.03	5.20	5.35	5.49	5.61	5.71	5.81	5.90	5.98	6.06	6.14	6.20	6.27	6.33	
12	3.08	3.77	4.20	4.51	4.75	4.95	5.12	5.27	5.40	5.51	5.61	5.71	5.80	5.88	5.95	6.02	6.09	6.15	6.21	
13	3.06	3.73	4.15	4.46	4.69	4.88	5.05	5.19	5.32	5.43	5.53	5.63	5.71	5.79	5.86	5.93	6.00	6.06	6.11	
14	3.03	3.70	4.11	4.41	4.64	4.83	4.99	5.13	5.25	5.36	5.46	5.56	5.64	5.72	5.79	5.86	5.92	5.98	6.03	
15	3.01	3.67	4.08	4.37	4.59	4.78	4.94	5.08	5.20	5.31	5.40	5.49	5.57	5.65	5.72	5.79	5.85	5.91	5.96	
16	3.00	3.65	4.05	4.34	4.56	4.74	4.90	5.03	5.15	5.26	5.35	5.44	5.52	5.59	5.66	5.73	5.79	5.84	5.90	
17	2.98	3.62	4.02	4.31	4.52	4.70	4.86	4.99	5.11	5.21	5.31	5.39	5.47	5.55	5.61	5.68	5.74	5.79	5.84	
18	2.97	3.61	4.00	4.28	4.49	4.67	4.83	4.96	5.07	5.17	5.27	5.35	5.43	5.50	5.57	5.63	5.69	5.74	5.79	
19	2.96	3.59	3.98	4.26	4.47	4.64	4.79	4.92	5.04	5.14	5.23	5.32	5.39	5.46	5.53	5.59	5.65	5.70	5.75	
20	2.95	3.58	3.96	4.24	4.45	4.62	4.77	4.90	5.01	5.11	5.20	5.28	5.36	5.43	5.50	5.56	5.61	5.66	5.71	
24	2.92	3.53	3.90	4.17	4.37	4.54	4.68	4.81	4.92	5.01	5.10	5.18	5.25	5.32	5.38	5.44	5.50	5.55	5.59	
30	2.89	3.48	3.84	4.11	4.30	4.46	4.60	4.72	4.83	4.92	5.00	5.08	5.15	5.21	5.27	5.33	5.38	5.43	5.48	
40	2.86	3.44	3.79	4.04	4.23	4.39	4.52	4.63	4.74	4.82	4.90	4.98	5.05	5.11	5.17	5.22	5.27	5.32	5.36	
60	2.83	3.40	3.74	3.99	4.16	4.31	4.44	4.55	4.65	4.73	4.81	4.88	4.94	5.00	5.06	5.11	5.15	5.20	5.24	
120	2.80	3.36	3.69	3.92	4.10	4.24	4.36	4.47	4.56	4.64	4.71	4.78	4.84	4.90	4.95	5.00	5.04	5.09	5.13	
∞	2.77	3.32	3.63	3.86	4.03	4.17	4.29	4.39	4.47	4.55	4.62	4.68	4.74	4.80	4.84	4.89	4.93	4.97	5.01	

Tabla VII. Percentiles del rango estudentizado.

ν	$q_{0,01;I,\nu}$																			
	P																			
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	90.0	135	164	186	202	216	227	237	246	253	260	266	272	277	282	286	290	294	198	
2	14.0	19.0	22.3	24.7	26.6	28.2	29.5	30.7	31.7	32.6	33.4	34.1	34.8	35.4	36.0	36.5	37.0	37.5	37.9	
3	8.26	10.6	12.2	13.3	14.2	15.0	15.6	16.2	16.7	17.1	17.5	17.9	18.2	18.5	18.8	19.1	19.3	19.5	19.8	
4	6.51	8.12	9.17	9.96	10.6	11.1	11.5	11.9	12.3	12.6	12.8	13.1	13.3	13.5	13.7	13.9	14.1	14.2	14.4	
5	5.70	6.97	7.80	8.42	8.91	9.32	9.67	9.97	10.24	10.48	10.70	10.89	11.08	11.24	11.40	11.55	11.68	11.81	11.93	
6	5.24	6.33	7.03	7.56	7.97	8.32	8.61	8.87	9.10	9.30	9.49	9.65	9.81	9.95	10.08	10.21	10.32	10.43	10.54	
7	4.95	5.92	6.54	7.01	7.37	7.68	7.94	8.17	8.37	8.55	8.71	8.86	9.00	9.12	9.24	9.35	9.46	9.55	9.65	
8	4.74	5.63	6.20	6.63	6.96	7.24	7.47	7.68	7.87	8.03	8.18	8.31	8.44	8.55	8.66	8.76	8.85	8.94	9.03	
9	4.60	5.43	5.99	6.35	6.66	6.91	7.13	7.32	7.49	7.65	7.78	7.91	8.03	8.13	8.23	8.32	8.41	8.49	8.57	
10	4.48	5.27	5.77	6.14	6.43	6.67	6.87	7.05	7.21	7.36	7.48	7.60	7.71	7.81	7.91	7.99	8.07	8.15	8.22	
11	4.39	5.14	5.62	5.97	6.25	6.48	6.67	6.84	6.99	7.13	7.25	7.36	7.46	7.56	7.65	7.73	7.81	7.88	7.95	
12	4.32	5.04	5.50	5.84	6.10	6.32	6.51	6.67	6.81	6.94	7.06	7.17	7.26	7.36	7.44	7.52	7.59	7.66	7.73	
13	4.26	4.96	5.40	5.73	5.98	6.19	6.37	6.53	6.67	6.79	6.90	7.01	7.10	7.19	7.27	7.34	7.42	7.48	7.55	
14	4.21	4.89	5.32	5.63	5.88	6.08	6.26	6.41	6.54	6.66	6.77	6.87	6.96	7.05	7.12	7.20	7.27	7.33	7.39	
15	4.17	4.83	5.25	5.56	5.80	5.99	6.16	6.31	6.44	6.55	6.66	6.76	6.84	6.93	7.00	7.07	7.14	7.20	7.26	
16	4.13	4.78	5.19	5.49	5.72	5.92	6.09	6.22	6.35	6.46	6.56	6.66	6.74	6.82	6.90	6.97	7.03	7.09	7.15	
17	4.10	4.74	5.14	5.43	5.66	5.85	6.01	6.15	6.27	6.38	6.48	6.57	6.66	6.73	6.80	6.87	6.94	7.00	7.05	
18	4.07	4.70	5.09	5.38	5.60	5.79	5.94	6.08	6.20	6.31	6.41	6.50	6.58	6.65	6.72	6.79	6.85	6.91	6.96	
19	4.05	4.67	5.05	5.33	5.55	5.73	5.89	6.02	6.14	6.25	6.34	6.43	6.51	6.58	6.65	6.72	6.78	6.84	6.89	
20	4.02	4.64	5.02	5.29	5.51	5.69	5.84	5.97	6.09	6.19	6.29	6.37	6.45	6.52	6.59	6.65	6.71	6.76	6.82	
24	3.96	4.54	4.91	5.17	5.37	5.54	5.69	5.81	5.92	6.02	6.11	6.19	6.26	6.33	6.39	6.45	6.51	6.56	6.61	
30	3.89	4.45	4.80	5.05	5.24	5.40	5.54	5.65	5.76	5.85	5.93	6.01	6.08	6.14	6.20	6.26	6.31	6.36	6.41	
40	3.82	4.37	4.70	4.93	5.11	5.27	5.39	5.50	5.60	5.69	5.77	5.84	5.90	5.96	6.02	6.07	6.12	6.17	6.21	
60	3.76	4.28	4.60	4.82	4.99	5.13	5.25	5.36	5.45	5.53	5.60	5.67	5.73	5.79	5.84	5.89	5.93	5.98	6.02	
120	3.70	4.20	4.50	4.71	4.87	5.01	5.12	5.21	5.30	5.38	5.44	5.51	5.56	5.61	5.66	5.71	5.75	5.79	5.83	
∞	3.64	4.12	4.40	4.60	4.76	4.88	4.99	5.08	5.16	5.23	5.29	5.35	5.40	5.45	5.49	5.54	5.57	5.61	5.65	

Tabla VIII. Valores críticos para el test de rango múltiple de Duncan

$q_{0,05;p,\nu}$												
P												
ν	2	3	4	5	6	7	8	9	10	20	50	100
1	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0
2	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09	6.09
3	4.50	4.50	4.50	4.50	4.50	4.50	4.50	4.50	4.50	4.50	4.50	4.50
4	3.93	4.01	4.02	4.02	4.02	4.02	4.02	4.02	4.02	4.02	4.02	4.02
5	3.64	3.74	3.79	3.83	3.83	3.83	3.83	3.83	3.83	3.83	3.83	3.83
6	3.46	3.58	3.64	3.68	3.68	3.68	3.68	3.68	3.68	3.68	3.68	3.68
7	3.35	3.47	3.54	3.58	3.60	3.61	3.61	3.61	3.61	3.61	3.61	3.61
8	3.26	3.39	3.47	3.52	3.55	3.56	3.56	3.56	3.56	3.56	3.56	3.56
9	3.20	3.34	3.41	3.47	3.50	3.52	3.52	3.52	3.52	3.52	3.52	3.52
10	3.15	3.30	3.37	3.43	3.46	3.47	3.47	3.47	3.47	3.48	3.48	3.48
11	3.11	3.27	3.35	3.39	3.43	3.44	3.45	3.46	3.46	3.48	3.48	3.48
12	3.08	3.23	3.33	3.36	3.40	3.42	3.44	3.44	3.46	3.48	3.48	3.48
13	3.06	3.21	3.30	3.35	3.38	3.41	3.42	3.44	3.45	3.47	3.47	3.47
14	3.03	3.18	3.27	3.33	3.37	3.39	3.41	3.42	3.44	3.47	3.47	3.47
15	3.01	3.16	3.25	3.31	3.36	3.38	3.40	3.42	3.43	3.47	3.47	3.47
16	3.00	3.15	3.23	3.30	3.34	3.37	3.39	3.41	3.43	3.47	3.47	3.47
17	2.98	3.13	3.22	3.28	3.33	3.36	3.38	3.40	3.42	3.47	3.47	3.47
18	2.97	3.12	3.21	3.27	3.32	3.35	3.37	3.39	3.41	3.47	3.47	3.47
19	2.96	3.11	3.19	3.26	3.31	3.35	3.37	3.39	3.41	3.47	3.47	3.47
20	2.95	3.10	3.18	3.25	3.30	3.34	3.36	3.38	3.40	3.47	3.47	3.47
30	2.89	3.04	3.12	3.20	3.25	3.29	3.32	3.35	3.37	3.47	3.47	3.47
40	2.86	3.01	3.10	3.17	3.22	3.27	3.30	3.33	3.35	3.47	3.47	3.47
60	2.83	2.98	3.08	3.14	3.20	3.24	3.28	3.31	3.33	3.47	3.48	3.48
100	2.80	2.95	3.05	3.12	3.18	3.22	3.26	3.29	3.32	3.47	3.53	3.53
∞	2.77	2.92	3.02	3.09	3.15	3.19	3.23	3.26	3.29	3.47	3.61	3.67

Tabla VIII. Valores críticos para el test de rango múltiple de Duncan.

		$q_{0,01;p,\nu}$										
		P										
ν	2	3	4	5	6	7	8	9	10	20	50	100
1	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0
2	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0
3	8.26	8.5	8.6	8.7	8.8	8.9	8.9	9.0	9.0	9.3	9.3	9.3
4	6.51	6.8	6.9	7.0	7.1	7.1	7.2	7.2	7.3	7.5	7.5	7.5
5	5.70	5.96	6.11	6.18	6.26	6.33	6.40	6.44	6.5	6.8	6.8	6.8
6	5.24	5.51	5.65	5.73	5.81	5.88	5.95	6.00	6.0	6.3	6.3	6.3
7	4.95	5.22	5.37	5.45	5.53	5.61	5.69	5.73	5.8	6.0	6.0	6.0
8	4.74	5.00	5.14	5.23	5.32	5.40	5.47	5.51	5.5	5.8	5.8	5.8
9	4.60	4.86	4.99	5.08	5.17	5.25	5.32	5.36	5.4	5.7	5.7	5.7
10	4.48	4.73	4.88	4.96	5.06	5.13	5.20	5.24	5.28	5.55	5.55	5.55
11	4.39	4.63	4.77	4.86	4.94	5.01	5.06	5.12	5.15	5.39	5.39	5.39
12	4.32	4.55	4.68	4.76	4.84	4.92	4.96	5.02	5.07	5.26	5.26	5.26
13	4.26	4.48	4.62	4.69	4.74	4.84	4.88	4.94	4.98	5.15	5.15	5.15
14	4.21	4.42	4.55	4.63	4.70	4.78	4.83	4.87	4.91	5.07	5.07	5.07
15	4.17	4.37	4.50	4.58	4.64	4.72	4.77	4.81	4.84	5.00	5.00	5.00
16	4.13	4.34	4.45	4.54	4.60	4.67	4.72	4.76	4.79	4.94	4.94	4.94
17	4.10	4.30	4.41	4.50	4.56	4.63	4.68	4.73	4.75	4.89	4.89	4.89
18	4.07	4.27	4.38	4.46	4.53	4.59	4.64	4.68	4.71	4.85	4.85	4.85
19	4.05	4.24	4.35	4.43	4.50	4.56	4.61	4.64	4.67	4.82	4.82	4.82
20	4.02	4.22	4.33	4.40	4.47	4.53	4.58	4.61	4.65	4.79	4.79	4.79
30	3.89	4.06	4.16	4.22	4.32	4.36	4.41	4.45	4.48	4.65	4.71	4.71
40	3.82	3.99	4.10	4.17	4.24	4.30	4.34	4.37	4.41	4.59	4.69	4.69
60	3.76	3.92	4.03	4.12	4.17	4.23	4.27	4.31	4.34	4.53	4.66	4.66
100	3.71	3.86	3.98	4.06	4.11	4.17	4.21	4.25	4.29	4.48	4.64	4.65
∞	3.64	3.80	3.90	3.98	4.04	4.09	4.14	4.17	4.20	4.41	4.60	4.68

Tabla IX. Valores críticos para la prueba de Dunnett

		$d_{0,05;I-1,\nu}$								
		$I - 1$ (n° de medias de tratamientos excluyendo el control)								
ν	1	2	3	4	5	6	7	8	9	
5	2.57	3.03	3.29	3.48	3.62	3.73	3.82	3.90	3.97	
6	2.45	2.86	3.10	3.26	3.39	3.49	3.57	3.64	3.71	
7	2.36	2.75	2.97	3.12	3.24	3.33	3.41	3.47	3.53	
8	2.31	2.67	2.88	3.02	3.13	3.22	3.29	3.35	3.41	
9	2.26	2.61	2.81	2.95	3.05	3.14	3.20	3.26	3.32	
10	2.23	2.57	2.76	2.89	2.99	3.07	3.14	3.19	3.24	
11	2.20	2.53	2.72	2.84	2.94	3.02	3.08	3.14	3.19	
12	2.18	2.50	2.68	2.81	2.90	2.98	3.04	3.09	3.14	
13	2.16	2.48	2.65	2.78	2.87	2.94	3.00	3.06	3.10	
14	2.14	2.46	2.63	2.75	2.84	2.91	2.97	3.02	3.07	
15	2.13	2.44	2.61	2.73	2.82	2.89	2.95	3.00	3.04	
16	2.12	2.42	2.59	2.71	2.80	2.87	2.92	2.97	3.02	
17	2.11	2.41	2.58	2.69	2.78	2.85	2.90	2.95	3.00	
18	2.10	2.40	2.56	2.68	2.76	2.83	2.89	2.94	2.98	
19	2.09	2.39	2.55	2.66	2.75	2.81	2.87	2.92	2.96	
20	2.09	2.38	2.54	2.65	2.73	2.80	2.86	2.90	2.95	
24	2.06	2.35	2.51	2.61	2.70	2.76	2.81	2.86	2.90	
30	2.04	2.32	2.47	2.58	2.66	2.72	2.77	2.82	2.86	
40	2.02	2.29	2.44	2.54	2.62	2.68	2.73	2.77	2.81	
60	2.00	2.27	2.41	2.51	2.58	2.64	2.69	2.73	2.77	
120	1.98	2.24	2.38	2.47	2.55	2.60	2.65	2.69	2.73	
∞	1.96	2.21	2.35	2.44	2.51	2.57	2.61	2.65	2.69	

Tabla IX. Valores críticos para la prueba de Dunnett

		$d_{0,01;I-1,\nu}$								
$I - 1$		(n° de medias de tratamientos excluyendo el control)								
ν	1	2	3	4	5	6	7	8	9	
5	4.03	4.63	4.98	5.22	5.41	5.56	5.69	5.80	5.89	
6	3.71	4.21	4.51	4.71	4.87	5.00	5.10	5.20	5.28	
7	3.50	3.95	4.21	4.39	4.53	4.64	4.74	4.82	4.89	
8	3.36	3.77	4.00	4.17	4.29	4.40	4.48	4.56	4.62	
9	3.25	3.63	3.85	4.01	4.12	4.22	4.30	4.37	4.43	
10	3.17	3.53	3.74	3.88	3.99	4.08	4.16	4.22	4.28	
11	3.11	3.45	3.65	3.79	3.89	3.98	4.05	4.11	4.16	
12	3.05	3.39	3.58	3.71	3.81	3.89	3.96	4.02	4.07	
13	3.01	3.33	3.52	3.65	3.74	3.82	3.89	3.94	3.99	
14	2.98	3.29	3.47	3.59	3.69	3.76	3.83	3.88	3.93	
15	2.95	3.25	3.43	3.55	3.64	3.71	3.78	3.83	3.88	
16	2.92	3.22	3.39	3.51	3.60	3.67	3.73	3.78	3.83	
17	2.90	3.19	3.36	3.47	3.56	3.63	3.69	3.74	3.79	
18	2.88	3.17	3.33	3.44	3.53	3.60	3.66	3.71	3.75	
19	2.86	3.15	3.31	3.42	3.50	3.57	3.63	3.68	3.72	
20	2.85	3.13	3.29	3.40	3.48	3.55	3.60	3.65	3.69	
24	2.80	3.07	3.22	3.32	3.40	3.47	3.52	3.57	3.61	
30	2.75	3.01	3.15	3.25	3.33	3.39	3.44	3.49	3.52	
40	2.70	2.95	3.09	3.19	3.26	3.32	3.37	3.41	3.44	
60	2.66	2.90	3.03	3.12	3.19	3.25	3.29	3.33	3.37	
120	2.62	2.85	2.97	3.06	3.12	3.18	3.22	3.26	3.29	
∞	2.58	2.79	2.92	3.00	3.06	3.11	3.15	3.19	3.22	

Tabla X. Percentiles de la distribución del estadístico de Cochran

		$P\{C \leq C_{1-\alpha;I,gl}\} = 1 - \alpha = 0,99$						
		Número de varianzas						
gl	4	5	6	7	8	9	10	
2	0.864	0.788	0.722	0.664	0.615	0.573	0.536	
3	0.781	0.696	0.626	0.568	0.521	0.481	0.447	
4	0.721	0.633	0.564	0.508	0.463	0.425	0.393	
6	0.641	0.553	0.487	0.435	0.393	0.359	0.331	
8	0.590	0.504	0.440	0.391	0.352	0.321	0.294	
10	0.554	0.470	0.408	0.362	0.325	0.295	0.270	

Tabla XII. Test por Rangos de Kruskal-Wallis

Tamaño de las muestras					Tamaño de las muestras				
n_1	n_2	n_3	χ_{KW}^2	P	n_1	n_2	n_3	χ_{KW}^2	P
2	1	1	2.7000	0.500	4	2	1	4.8214	0.057
								4.5000	0.076
2	2	1	3.6000	0.200				4.0179	0.114
					4	2	2	6.0000	0.014
2	2	2	4.5714	0.067				5.3333	0.033
			3.7143	0.200				5.1250	0.052
3	1	1	3.2000	0.300				4.4583	0.100
								4.1667	0.105
3	2	1	4.2857	0.100	4	3	1	5.8333	0.021
			3.8571	0.133				5.2083	0.050
3	2	2	5.3572	0.029				5.0000	0.057
			4.7143	0.048				4.0556	0.093
			4.5000	0.067				3.8889	0.129
			4.4643	0.105	4	3	2	6.4444	0.008
3	3	1	5.1429	0.043				6.3000	0.011
			4.5714	0.100				5.4444	0.046
			4.0000	0.129				5.4000	0.051
								4.5111	0.098
3	3	2	6.2500	0.011				4.4444	0.102
			5.3611	0.032	4	3	3	6.7455	0.10
			5.1389	0.061				6.7091	0.013
			4.5556	0.100				5.7909	0.046
			4.2500	0.121				5.7273	0.050
3	3	3	7.2000	0.004				4.7091	0.092
			6.4889	0.011				4.7000	0.101
			5.6889	0.029	4	4	1	6.6667	0.010
			5.6000	0.050				6.1667	0.022
			5.0667	0.086				4.9667	0.048
			4.6222	0.100				4.8667	0.054
4	1	1	3.5714	0.200				4.1667	0.082
								4.0667	0.102

Tabla XII. (Continuación) Test por Rangos de Kruskal-Wallis

Tamaño de las muestras					Tamaño de las muestras				
n_1	n_2	n_3	χ_{KW}^2	P	n_1	n_2	n_3	χ_{KW}^2	P
4	4	2	7.0364	0.006	5	2	2	6.5333	0.008
			6.8727	0.011				6.1333	0.013
			5.4545	0.046				5.1600	0.034
			5.2364	0.052				5.0400	0.056
			4.5545	0.098				4.3733	0.090
			4.4455	0.103				4.2933	0.122
4	4	3	7.1439	0.010	5	3	1	6.4000	0.012
			7.1364	0.011				4.9600	0.048
			5.5985	0.049				4.8711	0.052
			5.5758	0.051				4.0178	0.095
			4.5455	0.099				3.8400	0.123
			4.4773	0.102				5	3
4	4	4	7.6538	0.008				6.8218	0.010
			7.5385	0.011				5.2509	0.049
			5.6923	0.049				5.1055	0.052
			5.6538	0.049				4.6509	0.091
			4.6539	0.097	5	3	3	7.0788	0.009
			4.5001	0.104				6.9818	0.011
5	1	1	3.8571	0.143				5.6485	0.049
								5.5152	0.051
								4.5333	0.097
5	2	1	5.2500	0.036				4.4121	0.109
			5.0000	0.048	5	4	1	6.9545	0.008
			4.4500	0.071				6.8400	0.011
			4.2000	0.095				4.9855	0.044
			4.0500	0.119				4.8600	0.056
								3.9873	0.098
		3.9600	0.102						

Tabla XII. (Continuación) Test por Rangos de Kruskal-Wallis

Tamaño de las muestras					Tamaño de las muestras				
n_1	n_2	n_3	χ_{KW}^2	P	n_1	n_2	n_3	χ_{KW}^2	P
5	4	2	7.2045	0.009	5	5	2	7.3385	0.010
			7.1182	0.010				7.2692	0.010
			5.2727	0.049				5.3385	0.047
			5.2682	0.050				5.2462	0.051
			4.5409	0.098				4.6231	0.097
			4.5182	0.101				4.5077	0.100
5	4	3	7.4449	0.010	5	5	3	7.5780	0.010
			7.3949	0.011				7.5429	0.010
			5.6564	0.049				5.7055	0.046
			5.6308	0.050				5.6264	0.051
			4.5487	0.099				4.5451	0.100
			4.5231	0.103				4.5363	0.102
5	4	4	7.7604	0.009	5	5	4	7.8229	0.010
			7.7440	0.011				7.7914	0.010
			5.6571	0.049				5.6657	0.049
			5.6176	0.050				5.6429	0.050
			4.6187	0.100				4.5229	0.099
			4.5527	0.102				4.5200	0.101
5	5	1	7.3091	0.009	5	5	5	8.0000	0.009
			6.8364	0.011				7.9800	0.010
			5.1273	0.046				5.7800	0.049
			4.9091	0.053				5.6600	0.051
			4.1091	0.086				4.5600	0.100
			4.0364	0.105				4.5000	0.102

Tabla XIII. Tests por Rangos de Friedman.
k=4

$N = 2$		$N = 3$		$N = 4$			
χ_F^2	P	χ_F^2	P	χ_F^2	P	χ_F^2	P
0.0	1.000	0.2	1.000	0.0	1.000	5.7	0.141
0.6	0.958	0.6	0.958	0.3	0.992	6.0	0.105
1.2	0.834	1.0	0.910	0.6	0.928	6.3	0.094
1.8	0.792	1.8	0.727	0.9	0.900	6.6	0.077
2.4	0.625	2.2	0.608	1.2	0.800	6.9	0.068
3.0	0.542	2.6	0.524	1.5	0.754	7.2	0.054
3.6	0.458	3.4	0.446	1.8	0.677	7.5	0.052
4.2	0.375	3.8	0.342	2.1	0.649	7.8	0.036
4.8	0.208	4.2	0.300	2.4	0.524	8.1	0.033
5.4	0.167	5.0	0.207	2.7	0.508	8.4	0.019
6.0	0.042	5.4	0.175	3.0	0.432	8.7	0.014
		5.8	0.148	3.3	0.389	9.3	0.012
		6.6	0.075	3.6	0.355	9.6	0.0069
		7.0	0.054	3.9	0.324	9.9	0.0062
		7.4	0.033	4.5	0.242	10.2	0.0027
		8.2	0.017	4.8	0.200	10.8	0.0016
		9.0	0.0017	5.1	0.190	11.1	0.00094
				5.4	0.158	12.0	0.000072